# **Livingstone Acrylic Solid Surface** by US Surfaces

### **Health Product Declaration v2.1**

created via: HPDC Online Builder

CLASSIFICATION: 06 61 00.00 Wood, Plastics and Composites (framing) Simulated Stone Fabrications; 06 61 16 Solid Surface Fabrications; 10 21 13 Toilet Compartments; 12 36 61 Solid Surfacing Countertops:

PRODUCT DESCRIPTION: Livingstone 100% acrylic solid surface is continuously cast, non-porous, homogeneous solid sheets composed of acrylic polymer and natural minerals that yield through-body color; not coated, laminated or of composite construction. In its finished form Livingstone 100% acrylic solid surface is an article, is nontoxic and nonallergenic to humans. Product Classifications include 06 61 16 Solid Surface Fabrications, 10 21 13 Toilet Compartments and 12 36 61 Solid Surface Countertops.

Section 1: Sum	nmary		Basic Method / Product Threshold			
CONTENT INVENTORY						
Inventory Reporting Format	Threshold level	Residual	s/Impurities	Are All Substances Ab	nove the Threshold Indicated:	
C Nested Materials Method     Basic Method	<ul><li>€ 100 ppm</li><li>€ 1,000 ppm</li><li>€ Per GHS SDS</li></ul>	Considered Partially Considered Not Considered  Explanation(s) provided for Residuals/Impurities? Yes No		Characterized Percent Weight and Re	<b>⊙</b> Yes <b>○</b> No lole Provided?	
Threshold Disclosed Per  Material Product	C Per OSHA MSDS C Other			Screened Using Priority Hazard I Identified Name and Identifier Pr		
CONTENT IN DESCENDING ORDER	OF QUANTITY		Number of Greens	screen BM-4/BM3 contents	. 0	
Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.			Contents highest concern GreenScreen Benchmark or List translator Score LT-1 Nanomaterial No INVENTORY AND SCREENING NOTES: Inventory and Screen Notes are provided in sections 2.2.1.7 Materials or			
MATERIAL   SUBSTANCE   RESIDUA GREENSCREEN SCORE   HAZARD T LIVINGSTONE ACRYLIC SOLID SUR RES POLYMETHYL METHACRYLAT DIOXIDE LT-1   CAN   END CARBON	YPE  FACE		•	een Notes are provided in set 2.2.9 Substance Notes or in th		
VOLATILE ODGANIG COMPO	IND WOOL CONTENT		OFPTIFICATIO	AND AND COMPLIANCE		

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2018-05-01
C Yes	VERIFIER:	PUBLISHED DATE: 2018-05-01
© No	VERIFICATION #:	EXPIRY DATE: 2021-05-01



### Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### LIVINGSTONE ACRYLIC SOLID SURFACE

PRODUCT THRESHOLD: 1000 ppm

ALLIMINA TRIHYDRATE

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Livingstone is an acrylic solid surface that is continuously cast, non-porous, homogeneous solid surface produced in sheets or shapes (sinks). These materials yield through body color and are not coated, laminated or of composite construction. In finished form Livingstone is an article that is nontoxic, and non-allergenic to humans.

OTHER PRODUCT NOTES: Livingstone Solid Surface is manufactured as a continuous cast, non-porous homogeneous material suitable for virtually any interior and/or exterior application in Healthcare, Education, Food Service, Retail and General Commercial environments. Livingstone is composed of acrylic resin and natural minerals. Livingstone is NSF/ANSI Standard 51 approved for all food zone applications and is Green Guard Gold certified under UL 2818-2013

ALOMINA TRITTONATE				ID. 21040-31-2
%: 45.0000 - 60.0000	GS: <b>BM-2</b>	RC: None	NANO: <b>No</b>	ROLE: Flame Retardant/Inert Filler
HAZARDS:	AGENCY(IES) WITH	H WARNINGS:		
RESPIRATORY	AOEC - Asthr	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: The following inputs are included in this ingredient: Methyl Methacrylate (CAS # 80-62-6) and Butyl Acrylate (CAS# 141-32-2). Colorants are also present including Titanium Dioxide (CAS# 13463-67-7) and Carbon Black (CAS# 1333-86-4). Livingstone Acrylic Surfaces are comprised of reacted monomers and resins, mineral fillers and colorants and are manufactured in the form of sheets and shapes. Exposure to any input does not occur in the finished form of Livingstone material.

#### **POLYMETHYL METHACRYLATE (PMMA)**

ID: 9011-14-7

ID: 21645-51-2

%: <b>33.0000 - 42.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Additive-Reactive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs	- sensitizer-induced

SUBSTANCE NOTES: The following inputs are included in this ingredient: Methyl Methacrylate (CAS #80-62-6) and Butyl Acrylayte (CAS # 141-32-2). Colorants are als o present including Titanium Dioxide (CAS # 13463-67-7) and Carbon Black (CAS# 1333-86-4).Livingstone solid surfaces are comprised of reacted monomers and resins, mineral fillers and colorants manufactured in the form of sheets and shapes. Exposure to any inputs does not occur in the finished form of Livingstone products.

TITANIUM DIOXIDE ID: 13463-67-7

%: 0.0000 - 3.0000	GS: <b>LT-1</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Colorant		
HAZARDS:	AGENCY(IES) WITH WARNIN	NGS:				
CANCER	US CDC - Occupation	onal Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
ENDOCRINE	TEDX - Potential En	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CANCER	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			

SUBSTANCE NOTES: Livingstone Acrylic Solid surfaces are manufactured utilizing reacted monomers and resins, inert mineral fillers and colorants. Livingstone is manufactured in both sheets and shapes. Livingstone in its finished form is nontoxic and non-allergenic to humans

CARBON BLACK ID: 1333-86-4

%: 0.0000 - 3.0000	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	ROLE: Pigment/Colorant	
HAZARDS:	AGENCY(IES) WITH	WARNINGS:			
CANCER	US CDC - Oc	cupational Carcinogens	Occupa	ational Carcinogen	
CANCER	CA EPA - Pro	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CANCER	IARC	IARC		2B - Possibly carcinogenic to humans - inhaled from ational sources	
CANCER	MAK	MAK		ogen Group 3B - Evidence of carcinogenic effects sufficient for classification	

SUBSTANCE NOTES: Livingstone Acrylic Solid surfaces are manufactured utilizing reacted monomers and resins, inert mineral fillers and colorants. Livingstone is manufactured in both sheets and shapes. Livingstone in its finished form is nontoxic and non-allergenic to humans.



### Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party  APPLICABLE FACILITIES: All  CERTIFICATE URL:  https://spot.ulprospector.com/en/na/BuiltEnvironment/Detail/32896/662915/LivingStone-Solid-Surface?st=1	DATE: 2009- 10-19	EXPIRY DATE: 2018- 10-19	CERTIFIER OR LAB: UL Environment

certification and compliance notes: Certification renewed as required. Current certification is UL 2818-2013



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### **SEAM-IT SEAMING ADHESIVE**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Seam-It Seaming adhesive is recommended for use with Livingstone acrylic solid surface and is produced in a range of colors to match Livingstone acrylic sheet materials. Seam-It adhesive creates inconspicuous seams resulting in a smooth final finish. Seam-It is GreenGuard Gold Certified under UL 2818-2013and certificate # is 697440420

HPD URL: No HPD Available



## Section 5: General Notes

Livingstone Solid Surface is manufactured in both sheets and shapes and provides a non-porous, homogeneous material comprised of acrylic polymers and natural minerals yielding a through body color, not laminated, coated or of composite construction. Livingstone Solid Surface in its finished form is nontoxic and non-allergenic to humans and can be used in a variety of interior and exterior application in Healthcare, Education, Food Service, Retail, General Commercial environments. Livingstone is UL Environment Green Guard Gold certified under UL 2818-2013 For more information about Livingstone please contact us directly or website at www.livingstonesurfaces.com

#### MANUFACTURER INFORMATION

MANUFACTURER: US Surfaces

ADDRESS: 4601 Spicewood Springs Road

Building 1-Suite 100 <br > Austin Texas 78759, USA

WEBSITE: www.livingstonesurfaces.com

CONTACT NAME: Edward Rogers

TITLE: Vice President-Business Development

PHONE: 866-433-2229

EMAIL: edr@ussurfaces.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**PBT** Persistent Bioaccumulative Toxic

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both Both Preconsumer and Postconsumer** 

Unk Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.